

**Canon**

imageRUNNER™  
2200



imageRUNNER™  
2200



## A NEW-GENERATION, DIGITAL-MULTIFUNCTION WORKGROUP SOLUTION FROM THE INDUSTRY LEADER.

**Introducing the new imageRUNNER™ 2200 from Canon—  
offering unsurpassed performance in stand-alone or  
networked document-management environments.**

Built upon Canon's newly developed, network-oriented architecture, termed imagePlatform, the imageRUNNER 2200 offers 22-page-per-minute speed, with advanced copy, print, scan, and fax features, and the highest level of image quality, network integration, and elevated multitasking capabilities on the market. Designed specifically for the needs of corporate workgroups, the imageRUNNER 2200 allows your organization to manage its hard-copy and electronic-based information, regardless of form, content, or location, to give you the level of efficiency you are accustomed to, plus a competitive advantage.



**Exit full screen (F11)**

The imageRUNNER 2200 provides all the necessary tools for quick and intuitive operation of all device functions—saving you valuable time to do other tasks.



#### **A Truly Modular System**

The imageRUNNER 2200 delivers new-generation, digital-multifunction capabilities designed to meet every application need and budget of small- to medium-sized enterprises. This model offers advanced digital copying features as standard, including the scanning of hard-copy originals into an internal Mail Box system. As a truly modular system, the imageRUNNER 2200 can be configured to address the Network Printing, Super G3 Faxing, and Network Scanning requirements of workgroups as needed.

#### **Increased Productivity Without Compromises**

When short deadlines need to be met, the imageRUNNER 2200 is up to the task. With Scan-Once-Print-Many technology and enhanced multifunction capabilities, the imageRUNNER 2200 accelerates copy, print, fax, or scan job completion, while driving significant document-throughput capabilities.

The imageRUNNER 2200 delivers many of the advanced features typically associated with high-volume, high-priced systems, such as Copy Reservation, Job Build, Booklet Printing, and more. Easy-to-use device drivers and utilities provide users and administrators with unmatched levels of device status and job-management capabilities in the industry.

With Canon's proprietary RAPID Fusing System™, the imageRUNNER 2200 provides quick, on-demand operation that virtually eliminates the long warm-up periods typically associated with conventional devices, and helps reduce energy consumption costs. A compact, "wingless" design brings powerful features to your workgroup, without compromising office space.

#### **Superior Image Quality Is Always Standard**

Canon's world-class leadership in image quality—capturing the highest level of detail in every document—is standard on every imageRUNNER 2200. Delivering copy output at 1200 x 600 dpi resolution, and print output at an astounding 2400 x 600 dpi resolution, you'll find yourself asking, "Is this a copy, or the original?"



Print Driver Device Configuration Tab



Remote UI™

digital  
multifunction

## Raise Your Productivity To New Standards

### Set New Expectations For Office Productivity

At its core, the imageRUNNER 2200 provides unique functionality and information-management via an internal 5.1GB Image Server and 128MB of RAM. Examples of these features include the following:

**Scan-Once-Print-Many** – Fully leverages the inherent digital features of the device, and reduces scanner wear by making copies from images stored in memory.

**Concurrency** – Elevates overall multitasking capabilities by synchronizing scanner, image processor, and engine operation. As an example, users can store up to five copy jobs in memory while current copy or print jobs are being processed.

**Confidential Mail Boxes** – Up to 100 mail boxes can accept scanned and printed data, permitting users to easily combine paper- and electronic-based information.

### Advanced Input, Throughput, And Output Features

While most multifunction devices are content just to deliver the basics, the imageRUNNER 2200 offers the most extensive level of input, throughput, and output capabilities in its class.

For maximum input productivity, an optional 50-sheet capacity Duplexing Automatic Document Feeder (DADF) makes quick work of handling multipage and different-size

originals. The DADF leverages Trayless Duplexing of the device, and works with a newly designed scanning unit for fast first-copy output times.

The imageRUNNER 2200 ships with a standard paper capacity of 1,050 sheets, and offers the flexibility to support up to 4,550 sheets. With support for feeding non-standard paper sizes and weights, transparencies, and envelopes, the imageRUNNER 2200 can address the volume requirements of virtually any size workgroup.

The imageRUNNER 2200 offers the most advanced finishing features of any product in its class.

An optional internally mounted finishing unit makes the imageRUNNER 2200 ideally suited for environments with limited space, and for small office environments that require professional-looking, finished documents.

For more advanced document-finishing needs, choose the optional Saddle Finisher, which offers stapled output, including multi-position stapling, folded saddle-stitched booklets, and support for two- or three-hole-punched output. An inner tray system works with the Saddle Finisher to neatly separate copy, print, and fax output for fast distribution.



Duplexing Automatic Document Feeder



Internal Finisher



Paper Cassettes



Saddle Finisher





## Network Connectivity Should Not Be An Afterthought

### Why Stand-alone When You Can Connect

Canon's clear advantage lies in our seamless integration with customer networks, giving users the ability to leverage system capabilities from their desktops. In choosing Canon products, your organization will benefit from Initial Investment protection other manufacturers simply cannot match.

### A New Level Of Printing Functionality

The ImageRUNNER 2200 is ideally suited to handle the printing requirements of workgroups and departments, with a print controller capable of handling 10/100 Ethernet or Token Ring connections, using PostScript® 3 Emulation and PCL®5e and PCL 6 print languages.

Canon has created print driver software designed with an easy-to-use user-interface that is friendly for the novice, yet capable enough to handle the demands of power-users. The driver software displays a dynamic image of the device, indicating installed hardware options, paper size, and paper levels. As attributes change, the driver automatically informs the users of the latest device capabilities. To further simplify use, Canon offers the ability to view page layout settings from within the driver prior to printing. Using this driver capability, users are assured their output will print as expected, with no surprises.

Other significant capabilities include the ability to save frequently used print settings, annotate documents, add watermarks, and select extensive document-finishing and booklet-making features.


We haven't forgotten the network administrator! Canon offers multiple installation methods, and ships the only driver software available on the market capable of discovering devices on the network. This allows administrators to automatically configure all equipped options with just a click of the mouse.

Canon has equipped these systems with extensive printing capabilities not found on traditional network laser printers. Some of these enhanced capabilities include the following:

**Mail Box Printing** – Users can send print data to personal mail boxes for integration with other stored images, thereby creating new compound documents.

**Page Composer** – Users can combine and print documents that were created in different applications as a single document, preview and manipulate the merged file through a thumbnail view, and change settings on-the-fly.

**Secured Print** – Permits entry of a confidential PIN from within the print driver. Printing will begin only upon user-entry of his/her confidential PIN number at the device.



User Mail Box Screen



Print Driver Page Setup Tab



Page Composer Screen



Driver Properties Finishing Tab



Merge scanned images with documents from various applications to create one document.

## Bridging The Paper And Digital Worlds

### Merging Hard-copy And Electronic Information

Today, while most new information is created electronically, it is estimated that the majority of corporate information still resides on paper. The imageRUNNER 2200 permits easy integration of paper and electronic information to streamline information availability and management.

The imageRUNNER 2200 ships standard with the ability to scan documents to internal user mail boxes. Users may also view images stored in a mail box through the Remote UI function. This function is ideally suited to users who wish to combine scanned documents with electronic print documents at the device.

For network scanning and workflow requirements, Canon's Network TWAIN driver software provides enhanced scanning capabilities on the imageRUNNER 2200 through any TWAIN-compliant software application.

When outfitted with eCopy™ ShareScan™ and eCopy Desktop™ software, customers can turn the imageRUNNER 2200 into a sophisticated, yet easy-to-use document delivery system. eCopy ShareScan provides walk-up users with the ability to capture and preview documents while integrating to LAN Fax and user-desktops. Using eCopy Desktop, users have a powerful tool for adding annotations and mark-ups, or for converting scanned documents to editable text via OCR. eCopy Desktop also links to E-mail, LAN Fax, and document-management software for easy distribution of manipulated, scanned images.

### Faxing More Capable Than Stand-alone Devices

The imageRUNNER 2200 provides fax capabilities far more capable than most stand-alone devices available on the market today.

At 33.6 Kbps transmission speed, or approximately 3 seconds per page\*, users will save time and dramatically reduce transmission costs. With the optional DADF, you can greatly enhance faxing productivity by scanning simplex or duplex documents of sizes up to 11" x 17". Canon's world-class leadership in image quality will ensure that both sent and received fax transmissions will be clear and legible.

**Address Book** – Stores frequently used destinations through one-touch buttons and coded-dial numbers through the touch-screen user-interface panel.

**Memory Reception** – The device can be programmed to hold all incoming documents in memory prior to printing. Through a web browser, users can then preview the contents of the received document for easy identification prior to printing or deleting, if necessary.

\*Approximate 3-second-per-page fax transmission time based on (ITU-T No. 1 Chan (MMR, Standard Mode) at 33.6 Kbps modem speed when transmitting to another v.34 machine. The Public Switched Telephone Network (PSTN) currently supports 33.6 Kbps modem speeds or lower, depending on telephone line conditions.



eCopy ShareScan



eCopy Desktop



Main Fax Screen



Fax Screen Special Features

multifunction  
printing



## An All-star Player Sporting All The Tools

### No One On Your Team Will Feel Stranded

The ImageRUNNER 2200 comes equipped with a comprehensive set of system utilities designed to simplify operation and management for both end-users and network administrators. These tools provide easy device installation and network management, while supplying a level of device status and job-management capabilities unmatched in the industry.

### You Need To Do More Than Just Connect To The Network

To truly support customer requirements, networked devices must be easy to install, provide seamless integration with existing network-management applications, and permit management from anywhere in the enterprise. Canon's comprehensive solution to these customer requirements is embodied within Canon's NetSpot® Suite and Remote UI utilities.

Canon's NetSpot Suite consists of the following utilities:

**NetSpot Console** – NetSpot Console is a web-based installation and management utility capable of installing and managing Canon networked systems on most customer networks from anywhere within the enterprise. In addition to basic installation support, NetSpot Console delivers notification of device status conditions, such as low toner, paper jams, and others. For added convenience, NetSpot Console is also capable of managing third-party printers complying with the standard Printer MIB, thereby consolidating network device management via one utility.

**NetSpot Job Monitor** – To track progress and manage print jobs, Canon supplies NetSpot Job Monitor, which runs as an automated task in the Windows® System Tray, and can be configured to report job conditions based on administrator or end-user preferences.

Significant to NetSpot Job Monitor is its ability to deliver end-of-job notification to end-users, ensuring that they are informed of the completion of submitted work.

**NetSpot Accountant\*\*** – NetSpot Accountant is an optional utility capable of providing comprehensive job tracking and analysis for cost accounting and workflow optimization. Using NetSpot Accountant, network administrators can track a myriad of activity, including copying, printing, and scanning, and bill internal or external clients for device utilization. NetSpot Accountant is ideal for any customer who desires to account for ImageRUNNER 2200 device utilization.

In addition to these utilities, Canon also supplies plug-in modules for most popular enterprise-management applications in use today. Included in this list of supported applications are Microsoft® Management Console, CA-Unicenter TNG®, HP® OpenView®, Tivoli® NetView®, and BMC Patrol®. Through these plug-ins, Canon permits easy management of Canon networked devices from directly within the enterprise-management system console.

**Remote UI** – The Remote UI function turns any web browser into an ImageRUNNER 2200 desktop command and control center. Simply enter the IP address of the remote device to get instant access to job status, address book, media options, program settings, and more. In addition, users can stop, start, or reprint jobs or view images that were previously stored in an internal mail box from anywhere on the network.

### An Impressive Team

Canon's pioneering efforts in creating the digital multifunction marketplace has provided us with a considerable advantage in identifying emerging customer needs. This experience, combined with our exhaustive funding of new research and development, has allowed us to assume a



NetSpot Console Device List Selection



NetSpot Job Monitor-Status Notification Device



NetSpot Accountant-Device List Display



Remote UI

commanding position in today's office and production environments.

Our goal is simple: to provide the best solutions to your document- and information-management needs. We think you will agree that Canon's functional and integrated network capabilities set new benchmarks in the marketplace, and clearly enable our customers to drive greater levels of productivity, efficiency, and a competitive advantage.

\*\*Available second half 2001. Check with your local Canon-authorized Dealer for availability.



#### ImageRUNNER 2200 Specifications

<b>Main Unit</b>		<b>Duplicating Automatic Document Feeder-Hs (Optional)</b>		<b>Super G3 Fax Board-Is (Optional)*</b>	
Type:	Digital, Multifunction Imaging System	Acceptable Originals:	Statement-R to Ledger	Applicable Line:	Public Switched Telephone Network (PSTN)
Imaging System:	Laser Dry Electrostatic Transfer	Capacity:	50 Sheets (30 lb. Bond, Letter)	Connection Lines:	One (1)
Developing System:	Dry Monocomponent Toner	Max. Paper Weight:	30 lb. to 32 lb. Bond (Letter)	Transmission Time**:	One (1) \$20/MIN Approx. 5 Seconds per Page (3,600 lines)
Rising System:	RAIPD Ruling System	<b>Cassette Feeding Unit-Ws (Optional)</b>		Compression System:	MMR, MR, MH, IBIG
Image Sensor Memory:	Stenciled with RAM 1.5-MB H20 (Min. Capacity: Approx. 4,000 Originals)	Paper Capacity:	2 x 500-sheet Paper Cassettes	Sending Speed:	Statement to Ledger
First-copy Time:	5.8 Seconds from Platen Glass	Paper Size:	Top Cassette: Statement-R to Legal	Auto Dial Function:	Address Book: 200 Destinations
Warm-up Time:	8.5 Seconds from ADF	Bottom Cassette:	Statement-R to Ledger	Image Memory:	Approx. 5,000 Pages
Copy/Print Speed:	10 Seconds or Less from Sleep Mode	Paper Weight:	12 lb. to 30 lb. Bond	<b>Network Multi-PDL Printer Kit-Is (Optional)</b>	
Max. Mail Boxes Supported:	100	Envelope Size:	C2/ISO, DL, Monarch, ISO-B5, B5-C5, Nagasaki	Type:	Embedded Print/Network
Max. Copy Resolutions:	500	Feeder Capacity:	Approx. 50 Envelopes or 14 1/4" (317mm)	Process:	Canon Custom Processor
Actual Resolutions:	600 dpi x 600 dpi	<b>Envelope Feeder Attachment-Is (Optional)</b>		RAM:	320MB (Std./Max.)—Shared
Interpolated Resolutions:	1200 dpi x 600 dpi (Copy)	Envelope Size:	C2/ISO, DL, Monarch, ISO-B5, B5-C5, Nagasaki	Hard Disk:	5.1GB—Shared
Half-tone:	256 Gradations of Gray	Paper Deck-Ls (Optional)	Approx. 50 Envelopes or 14 1/4" (317mm)	PDL Support:	PCL-5e, PCL-6, PostScript 5 Emulation
Duplicating:	Standard Automatic Trayless Duplicating	Paper Capacity:	4,000 Sheets (30 lb. Bond)	Internal Ports:	156 PostScript Fonts, 112 Adobe® Type Fonts, 10 TrueType® Fonts, 80 PCL Roman Fonts, 32 PCL Sans-serif Fonts
Magnification Reduction/Enlargement:	25% to 800% (in 1% increments)	Paper Size:	Letter	Interface Connections:	Plus (10/100Base-T) IEEE 1394 (Compatibility: iLink, Fire and ECP mode)
Paper Supply Standard:	Dual 500-sheet Paper Cassettes (4,000 Sheets)	Paper Weight:	12 lb. to 30 lb. Bond	Protocol Stack:	Plus (10/100Base-T) IEEE 1394 (Compatibility: iLink, Fire and ECP mode)
Optional:	Stack Bypass (50 Sheets) Dual 500-sheet Paper Cassettes (4,000 Sheets) Paper Deck (4,000 Sheets)	Finisher-Is (Optional)	12 lb. to 30 lb. Bond	Network OS:	Token Ring® (Optional Card) (PK/SPX)®: 802.3, 802.5, Ethernet II, 802.2 SNAP, TCP/IP, SNA
Exposure Control:	Automatic or Manual	Number of Trays:	Four trays, including Saddle-watch Tray and Inner 3-way Tray		AppleTalk®: 802.3 SNAP and AppleTalk Phase II Only
Multiple Copies:	1 to 999	Tray Capacity:	One Tray: 500 Sheets (Letter)		Novell® NetWare® v.3.x, 4.x, 4.1, 4.2, 5 (PK/SPX), Windows® 95/NT/Me (TCP/IP), Windows NT 4.0 (TCP/IP), Windows 2000 (TCP/IP), Solaris® 2.6, 2.7 or later (TCP/IP), Apple® System 7.5 or higher (DDP)
Max. Original Size:	11" x 17" (Letter)	Saddle-watch Tray:	500 Sheets (Letter)		
Paper Weight:	12 lb. to 30 lb. Bond (Cassette)	Stack Position:	Top Corner (50 Sheets)		
Power Source:	120V AC, 60Hz, 15A	<b>Saddle Finisher-Gs (Optional)</b>			
Drum:	OPC—Estimated Yield: 55,000 Impressions	Number of Trays:	Four trays, including Saddle-watch Tray and Inner 3-way Tray		
Max. Duty Cycle:	75,000 Impressions Per Month	Tray Capacity:	One Tray: 500 Sheets (Letter)		
Toner:	Estimated Yield: 35,000 Images (at 5% Coverage)	Inner 3-way Tray:	500 Sheets (Letter)		
Dimensions (H x W x D):	40 1/8" x 22 1/4" x 28 1/4" (1020mm x 569mm x 720mm)	Saddle-watch Tray:	500 Sheets		
Weight:	175.5 lb. (80kg)	Stack Position:	Top Corner, (a) Side Margin, (b) Saddle-watch		
		Stacking Capacity:	50 Sheets (Letter)		
		Saddle-watch Specifications:	10 Sheets Saddle-attached (Letter, Ledger)		
		Total Size Imaged:	40 (50 Sheets)		
		Total Size:	1 to 5 Sheets to Saddle-attached Sets		
		Folding:	3 to 10 Sheets to Saddle-attached Sets		
		Attachable Accessories:	V-folding Standard		
		Puncher Units (Option for Saddle Finisher-Gs)	Puncher Units		
		Punch Method:	Sequential Processing System		
		Punch Types:	3-hole (Auto Change)		
		Paper Sizes:	3-hole (Letter, Legal)		
		Punch Unit Stock:	3-hole (Letter, Ledger)		
			Approx. 3,000 Sheets		

\*Available second half 2000.

Check with your local Canon-authorized Dealer for availability.

\*\*Approximate 3-second-per-page fax transmission time based on (ITU-T No. 1 Chart (MMR, Standard Mode) at 33.6 Kbps modem speed when transmitting to another v.32 machine. The Public Switched Telephone Network (PSTN) currently supports 28.8 Kbps modem speeds or lower, depending on telephone line conditions.

**Canon** KNOW HOW™

As an Energy Star Partner, Canon U.S.A., Inc., has determined that this product meets the Energy Star guidelines for energy efficiency. The Energy Star name is a registered trademark of the U.S. Environmental Protection Agency. Adobe and PostScript are trademarks of Adobe Systems Incorporated. HP, PCL, and OpenView are registered trademarks of Hewlett-Packard Company. Universal TNG is a registered trademark of Computer Associates International. TrueType and TrueView are registered trademarks of Apple Computer, Inc. in the United States and other countries. Microsoft, PowerPoint, Windows, and Windows NT are registered trademarks of Microsoft Corporation in the United States and/or other countries. Solaris is a trademark of Sun Microsystems, Inc. Canon and NeoSpot are registered trademarks, and IMAGERUNNER, RAIPD Ruling System, Canon Know How, and the GENUINE logo are trademarks of Canon Inc. Remote UI is a trademark, and IMAGEANYWHERE is a service mark of Canon U.S.A., Inc. All other names and product names may be trademarks or registered trademarks of their respective owners, and are hereby acknowledged.

Specifications subject to change without notice.

0501-R2200



1-800-OK-CANON  
www.usa.canon.com

Canon U.S.A., Inc.  
One Canon Plaza  
Lake Success, NY 11042